



**DIREKTORAT PENGELOLAAN LABORATORIUM,
FASILITAS RISET DAN KAWASAN SAINS DAN
TEKNOLOGI**

Kawasan Sains dan Teknologi Soekarno, Jalan Raya Bogor Km. 46
Cibinong, Jawa Barat 16911

FORMULIR DETAIL PENGUJIAN

Nama :

Instansi :

*) S1/S2/S3/Industri/Umum/Internal BRIN

Alamat :

No Hp/Telp :

E-mail :

**CHECKLIST PARAMETER ANALISIS SENYAWA POLI HIDROKARBON
MENGUNAKAN GCMS**

No	Parameter		
1	Jumlah sample	:	 buah
2	Jenis sampel	:	Cairan (Pelarut.....) (Konsentrasi.....)
3	Kolom	:	☐ Rtx-1 (30m x 0.25mm, thickness 0.25um) ☐ Rtx-1 (30m x 0.25mm, thickness 1.0um) ☐ UA-PBDE 15m, 0.05um, 0.25mm
4	Kolom Oven Temperature	:	
5	Injection temp	:	
6	Injection mode	:	☐ Split (Ratio =.....) ☐ Splitless
7	Pressure	:	kPa
8	Total flow	:	mL/min
9	Column flow	:	mL/min
10	Oven temp. program	:	Rate (°C/min) Temp (°C) Hold Time (min)
11	m/z range	:	
12	Standar chemical	:	

13	Catatan lain-lain	:	
----	-------------------	---	--

Keterangan :

- Formulir Detail Pengujian ini mohon di **upload** saat mengajukan layanan pengujian GCMS
- Informasi lebih lanjut hubungi nomor layanan Laboratorium Genomik 08119811575